

# AUGTON GLASS

Professional Glass Manufacturer & Supplier

## Product Catalogue 2026

Float · Patterned · Mirror · Stained · Architectural · Decorative · Furniture · Specialty Glass

**85**

Products

**8**

Categories

**5**

Languages Served


---

No. 97 Qindao Middle Road, Weihai, Shandong, China

[sales@augtonglass.com](mailto:sales@augtonglass.com) · +8615863105637 · WhatsApp +8615863105637

[www.augtonglass.com](http://www.augtonglass.com) · Mon - Sat: 8:30 - 17:30 (GMT+8)


## Float Glass



### Clear Float Glass

Standard clear glass as the base for all processing.


**Thickness:** 1.6mm – 19mm · **Max size:** 4880 x 11000 mm



### Low Iron Glass

Ultra-clear glass with minimal green tint for premium glazing.


**Thickness:** 1.8mm – 19mm · **Max size:** 3660 x 2440 mm



### Tinted Glass

Body-tinted glass for solar control and aesthetic variety.

**Thickness:** 3mm – 12mm · **Max size:** 3660 x 2440 mm



### Reflective Glass

Coated glass with a mirror-like appearance and solar performance.


**Thickness:** 4mm – 6mm (5.5mm available) · **Max size:** 3660 x 2440 mm



### Low-E Glass

Energy-saving coated glass for optimal solar control and insulation.

**Thickness:** 3.2mm – 8mm · **Max size:** 3660 x 2440 mm



### TCO Glass

Conductive TCO coated glass for thin-film solar and electronic applications.


**Thickness:** 3.2mm, 4mm · **Max size:** 2200 x 2600 mm



### Ultra Thin Glass

Glass under 2mm for electronics and precision applications.

**Thickness:** 0.33mm – 2mm



### Solar Control Glass

Coated glass that controls sunlight and solar heat gain.


**Thickness:** 3mm, 3.2mm, 4mm, 5mm, 6mm, 8mm, 10mm, 12mm · **Max size:** 3660 x 2440 mm, jumbo size available



### Auto Glass

High-quality automotive glass for windshields and sidelites.

**Thickness:** 2.1mm – 6mm · **Max size:** 3000 x 6500 mm



### Black Glass

Body-tinted black glass for automotive and architectural privacy.

**Thickness:** 2.5mm – 19mm · **Max size:** 3300 x 6500 mm



### Fire-Rated Glass

Monolithic and laminated glass-ceramic fire-rated glazing, 20 to 180 minute ratings.

**Thickness:** 5mm monolithic / 5mm safety-film / 8mm laminated

## Patterned Glass



### Clear Patterned Glass

Textured glass with decorative patterns and light diffusion.

**Thickness:** 2.2mm – 12mm · **Max size:** 4500 x 2200 mm



### Low Iron Patterned Glass

Ultra-clear textured glass for brighter interiors.

**Thickness:** 2.2mm – 12mm · **Max size:** 4500 x 2200 mm



### Tinted Patterned Glass

Colored textured glass for decorative accents.


**Thickness:** 3mm – 10mm · **Max size:** 4500 x 2200 mm



### Wired Glass

Fire-resistant glass with embedded wire mesh for safety.

**Thickness:** 5.5mm, 6mm



### Solar Glass

High-transmission glass for photovoltaic modules.

**Thickness:** 2mm – 4mm · **Max size:** 2200 x 3600 mm

## Mirror

## MORE THAN 30 YEARS IN MIRROR MAKING

Specializing in the production of high-grade float glass silver mirrors, environmental protection mirrors, colored mirrors, ultra-white mirrors, solar mirrors



### Silver Mirror

Classic silver-coated mirror with brilliant, accurate reflection.


**Thickness:** 3mm – 8mm



### Low Iron Mirror

Ultra-clear low-iron mirror with brighter, truer, green-free reflection.

**Thickness:** 3mm – 8mm



### Aluminum Mirror

Cost-effective aluminum-coated mirror with durable waterproof paint.

**Thickness:** 2mm – 8mm



### Copper & Lead Free Mirror

Eco-friendly copper- and lead-free mirror, easier to recycle.

**Thickness:** 3mm – 8mm



### Temperable Mirror

Coated mirror that can be tempered after coating for safety glazing.

**Thickness:** 2mm – 12mm



### Epoxy Mirror

New-generation copper-free mirror with upgraded corrosion resistance.

**Thickness:** 3mm – 8mm



### Tinted Mirror

Decorative mirror in golden, pink, grey, bronze, violet and more.


**Thickness:** 2mm – 8mm



### Antique Mirror

Reproduction antique mirror with unique aged patterns and colors.


**Thickness:** 3mm – 6mm



### Paint Glass

Lacquered glass in white, black and almost any RAL color.

**Thickness:** 3mm – 8mm



### Furniture Mirror

Custom furniture safety mirror with edgework and back film.

**Thickness:** 3mm – 6mm



### Framed Mirror

Ready-to-hang framed mirrors — wooden, iron and custom frames.

**Thickness:** 3mm – 6mm



### Safety Mirror

Vinyl-backed safety mirror (CAT I / CAT II) for doors and wardrobes.

**Thickness:** 3mm – 6mm



### Solar Mirror

High-reflectance glass mirrors for solar thermal energy applications.

**Thickness:** 3mm - 6mm



### One-way Mirror Glass

Mirror on one side, transparent window on the other - for observation and privacy.

**Thickness:** 2mm - 12mm



### LED Mirror

Backlit or front-lit LED mirror with anti-fog and touch control - for bathrooms, vanities and dressing rooms.

**Thickness:** 4mm - 8mm


## Stained Glass



### Stained Glass

Opalescent and cathedral colored glass for Tiffany, lamps and feature windows.


**Thickness:** 2mm / 3mm (consistent across the sheet)



### Stained Bubble Glass

Colored glass with suspended air bubbles that sparkle in the light.

**Thickness:** 2.8-3 mm (1/8"), consistent across the sheet



Augton Glass

### Stained Fracture Glass

Confetti-style glass with multicolor fracture chips on clear or opal bases.

**Thickness:** 2.8–3 mm (1/8"), consistent across the sheet




Augton Glass

### Stained Goldstone Glass

Deep green glass glittering with suspended copper aventurine flecks.

**Thickness:** 2.8–3 mm (1/8"), consistent across the sheet




Augton Glass

### Stained Iridescent Glass

Pearlescent stained glass whose surface sheen shifts color with the light.

**Thickness:** 2.8–3 mm (1/8"), consistent across the sheet




Augton Glass

### Stained Mottled Glass

Marbled multi-color stained glass where no two sheets are alike.

**Thickness:** 2.8–3 mm (1/8"), consistent across the sheet




Augton Glass

### Stained Opalescent Glass

Milky multi-tone stained glass — the classic Tiffany lamp glass.

**Thickness:** 2.8–3 mm (1/8"), consistent across the sheet



Augton Glass

### Stained Stipple Glass

Granular stippled stained glass that diffuses light into a soft glow.

**Thickness:** 2.8–3 mm (1/8"), consistent across the sheet



Augton Glass

### Stained Textured Glass

Rolled water and ripple textures in full stained-glass colors.

**Thickness:** 2.8–3 mm (1/8"), consistent across the sheet



Augton Glass

### Stained Transparent Glass

Transparent cathedral stained glass with bright, clear light transmission.

**Thickness:** 2.8–3 mm (1/8"), consistent across the sheet




Augton Glass

### Stained Transparent Textured Glass

Transparent stained glass with a rolled water pattern — texture plus light.

**Thickness:** 2.8–3 mm (1/8"), consistent across the sheet

## Architectural Glass



Augton Glass

### Flat Tempered Glass

High-strength safety glass for demanding architectural projects.

**Thickness:** 3mm – 19mm



Augton Glass

### Curved Glass

Hot-bent glass for unique architectural shapes and designs.


**Thickness:** 3mm – 22mm



### Laminated Glass

Safety glass bonded with PVB/SGP interlayers.

**Thickness:** 2mm – 19mm (glass) · **Max size:** 3660 x 18000 mm



### Acoustic Laminated Glass

Sound-insulating laminated glass for noisy environments.

**Thickness:** 3mm – 8mm (glass)



### SGP Laminated Glass

Structural laminated glass with high-strength SGP interlayers.


**Thickness:** 3mm – 19mm (glass) · **Max size:** 3660 x 18000 mm



### Heat Soak Glass

Tempered glass tested to prevent spontaneous breakage.


**Thickness:** 4mm – 19mm



### Insulated Glass

Double/triple glazing units for energy-efficient buildings.

**Thickness:** 3mm – 12mm (glass)



### Bulletproof Glass

High-security laminated glass for banks and government buildings.

**Thickness:** 21mm – 51mm (custom, 3+ glass layers)



### Glass Door

Complete tempered glass door systems with hardware.

**Thickness:** 8mm, 10mm, 12mm (tempered or tempered laminated)




### Tempered Laminated Glass

Combines tempered strength with laminated safety.

**Thickness:** 3mm – 19mm (glass) · **Max size:** 3660 x 18000 mm


## Decoration Glass



### Acid Etched Glass

Fingerprint-free frosted glass with smooth, silky surface.

**Thickness:** 4mm – 15mm



### Acid Patterned Glass

Acid-etched decorative patterns — privacy with designer style.


**Thickness:** 4mm – 15mm



### Digital Printing Glass

Nano ceramic ink printing — any pattern, unlimited colors.

**Thickness:** 4mm – 19mm (typical)



### Screen Printed Glass

Rolled / silkscreen printed enamel glass — durable color panels.


**Thickness:** 4mm – 12mm (typical)



### Decorative Wall Mirror

High-class decorative wall & bath mirrors in many designs.

**Thickness:** 3mm – 8mm



### Fused Glass

Kiln-cast art glass — 30+ textures, custom colors and shapes.

**Thickness:** 6mm – 19mm; thicker by laminating 2 layers



### U Glass

U-profile channel glass — frameless light-diffusing walls.

**Thickness:** 6mm, 7mm



### Temperable Back-Painted Glass

Temperable back-painted glass — vivid color fused to the reverse side.

**Thickness:** 3mm – 12mm

## Furniture Glass & Mirror



### Furniture Glass

Precision-cut glass panels and shelves for furniture, with custom edgework and processing.

**Thickness:** 3mm - 19mm



### Glass Furniture

Bent glass furniture — coffee tables, side tables, nesting tables, consoles and TV stands in 800+ designs.



### Glass Table Top

Tempered or annealed glass table tops in clear, low-iron, tinted or patterned glass with various edgework.


**Thickness:** 6mm - 19mm



### Kitchen Splashback

Tempered glass splashbacks with lacquer or printed designs in any RAL color, cut to your design.

**Thickness:** 4mm, 5mm, 6mm, 8mm (standard 5mm and 6mm)



### Glass Panel

Glass panels and shelves for furniture, made from clear, low-iron, tinted, reflective or patterned glass.

**Thickness:** 3mm - 19mm



### Cosmetic Mirror

Thin, stable silver or aluminum mirrors from 1.5mm for makeup mirrors, pocket mirrors and hand mirrors.


**Thickness:** 1mm - 2mm (silver 1.5-2.0mm, float aluminum 2mm, sheet aluminum 1.5/1.8mm)



### Auto Mirror

Auto rear-view mirror plates with aluminum, chrome or silver coating, curvature R300-R2000.

**Thickness:** 1.5mm, 1.7mm, 1.8mm, 2.0mm, 2.5mm, 3mm



### Bathroom Mirror

High-class bathroom and wall mirrors in epoxy copper-free, silver, antique or tinted mirror, OEM available.

**Thickness:** 4mm, 5mm, 6mm



### Frame Mirror

Framed mirrors in wooden or iron frames with a wide range of designs, fully customizable.

## New & Hot-Sale Glass



### Greenhouse Glass

High light-transmission glass for agriculture and horticulture.

**Thickness:** 3.2mm, 4mm



### Tempered Whiteboard Glass

Shatter-resistant tempered glass whiteboard with a wipe-clean surface.

**Thickness:** 4mm, 5mm, 6mm, 8mm, 10mm, 12mm



### Energy-efficient Electrochromic Glass

Smart glass that tints on demand with low-voltage control.


**Thickness:** 6+6mm laminated, or IGU configurations



### Glass Block

Hollow pressed-glass blocks for light-transmitting partition walls.

**Thickness:** 80mm / 95mm / 100mm (block wall thickness)



### Jade Stone Glass

Translucent crystallized glass with a natural jade texture.

**Thickness:** 6mm - 15mm



### Dichroic (Colorful) Glass

Color-shifting coated glass that changes hue with the viewing angle.


**Thickness:** 4mm - 10mm



### High Borosilicate Glass

Heat-resistant borosilicate glass for thermal shock and chemical environments.


**Thickness:** 3mm - 25mm



### Glass-Ceramic

Crystallized glass-ceramic panel with near-zero thermal expansion.

**Thickness:** 3mm - 30mm



### AR Glass

Anti-reflective glass with up to 99% transmission.

**Thickness:** 3mm, 3.2mm, 3.5mm, 4mm, 4.6mm, 5mm



### Anti-slippery Stair Tread Glass

Anti-slip tempered laminated glass for stair treads and floor panels.

**Thickness:** (8+8+8)mm, (10+10+10)mm, (12+12+12)mm laminated



### Aquarium Glass

Crystal-clear low iron glass for aquariums and tanks.

**Thickness:** 4mm - 19mm



### Appliance Glass

Precision-cut glass components for household appliances.


**Thickness:** 3mm - 8mm



### Louver Glass

Jalousie glass strips for ventilating windows.

**Thickness:** 4mm, 5mm, 6mm



### Welding Glass

Shade-filtering glass for welding protection.


**Thickness:** 2mm, 3mm (clear sheet glass 1.5mm, 1.8mm)



### Instrument Glass

Precision glass for meters, gauges and instruments.

**Thickness:** Customized



### Glass Switch Panel

Tempered glass touch switch panels with screen printing.

**Thickness:** 2mm, 3mm, 4mm, 5mm, 6mm